



L3C07U-8x LCD module

■ Basic specifications


Photo		
Technology		D9
Screen size	Diagonal	1.54cm(0.61")
	H x V (mm)	13.454 x 7.574
Pixel number	H x V	1922 x 1082 (1080P)
Pixel pitch	H x V (μ m)	7.0 x 7.0
Outside Dimension	H x V x D (mm)	20.0 x 26.1 x 5.5
Aspect Ratio		16:9
Display Colors		Monochrome
Micro Lens Array		With Micro Lens Array
Liquid Crystal		VA mode

Dimensional Outline Drawing




●E72A

external view (dimension: W210mm x H160mm)



IC Block Diagram



- 1) Evaluation board is accompanied by the following documents.
"instruction book", "config file (a sheet of FD)"
- 2) LCD Panel is not attached. Please purchase it separately.
- 3) Extra preparation by customer
 - a. DC stabilized power supply
 - b. Video signal source (DVI)
 - c. RS232C cable (for configuration)
 - d. Optical source for evaluation, polarizer etc.

Usage notice

- a. Information in these documents is subject to be changed without notice.
- b. None of the documents contained herein may be copied or reprinted, whether in full or in part, without prior notice.
- c. Mentioned contents of the document were described as of August 2012.

<Contact>

©SEIKO EPSON CORPORATION 2012
Visual Device Design & Engineering Department
Visual Products Operations Division
1010 Fujimi, Fujimi-machi, Suwa-gun, Nagano-ken
399-0295 JAPAN
TEL 0266-62-6528

<http://www.epson.jp/device/https>