SPECIFICATION For APPROVAL

() Final Specification

Title 2	20.1" UXGA TFT LCD
---------	--------------------

BUYER NAME	
MODEL NAME	

SUPPLIER	LG.Philips LCD Co.,Ltd.
MODEL NAME	LM201U1
SUFFIX	A1

^{*} When you obtain standard approval, please use the above model name without suffix.

SIGNATURE	DATE

APPROVED BY	DATE
S.H. Kang/G. Manager	
REVIEWED BY	
K.G. Park/S. Engineer	
B.K. Kim/S. Engineer	
PREPARED BY	
S.Y. Yi/Engineer	
K.H. Moon/Engineer	
Product Engine	ering Dept.
LG.Philips LCI	Co.,Ltd.

The preliminary document is subject to change without prior notice.

Please return 1 copy with your signature and comments.

Ver 0.3	October 19, 2000	Page 1/25
ver u.s	October 19, 2000	raye 1/25



CONTENTS

NO.	ITEM	Page
-	COVER	1
-	CONTENTS	2
-	RECORD of REVISIONS	3
1.	GENERAL DESCRIPTIONS	4
2.	ABSOLUTE MAXIMUM RATINGS	5
3.	ELECTRICAL SPECIFICATIONS	6
3-1.	ELECTRICAL CHARACTERISTICS	6
3-2.	INTERFACE CONNECTIONS	7
3-3.	SIGNAL TIMING SPECIFICATIONS	10
3-4.	SIGNAL TIMING WAVEFORMS	11
3-5.	COLOR INPUT DATA REFERENCES	12
3-6.	POWER SEQUENCES	13
4.	OPTICAL SPECIFICATIONS	14
5.	MECHANICAL CHARACTERISTICS	17
5-1	FRONT VIEW	18
5-2	REAR VEIW	19
6.	RELIABILITY	20
7.	INTERNATIONAL STANDARDS	21
7-1.	SAFETY	21
7-2.	EMC	21
8.	PACKING	22
8-1	DESIGNATION OF LOT MARK	22
8-2	PACKING FORM	22
9.	PRECAUTIONS	23
-	APPENDIX 1. REQUIRED SIGNAL ASSIGNMENT FOR Sil160 TMDS Receiver	25

Ver 0.3 October 19, 2000 Page 2/25

Record of Revisions


0.0 JUL. 10, 2000 - First Draft, Preliminary 0.1 SEP. 06, 2000 Second Draft, Preliminary 0.2 SEP. 27, 2000 Third Draft, Preliminary 0.3 OCT. 19, 2000 Forth Draft, Preliminary	
0.2 SEP. 27, 2000 Third Draft, Preliminary	
0.3 OCT. 19, 2000 Forth Draft, Preliminary	



1. General Descriptions

The LM201U1 LCD is a Color Active Matrix Liquid Crystal Display with an integral Cold Cathode Fluorescent Lamp(CCFL) back light system. The matrix employs a-Si Thin Film Transistor as the active element. It is a transmissive type display operating in the normally black mode. This TFT-LCD has a 20.1 inch diagonally measured active display area with UXGA resolution(1200 vertical by 1600 horizontal pixel array). Each pixel is divided into Red, Green and Blue sub-pixels or dots which are arranged in vertical stripes. Gray scale or the luminance of the sub-pixel color is determined with a 8-bit gray scale signal for each dot, thus, presenting a palette of more than 16,777,216 colors.

The LM201U1 has been designed to apply the TMDS[™](Transition Minimized differential Signaling) as the interface method to enables a simple and low-cost implementation in both the host and monitor.



General Display Characteristics

Followings are general features of the model LM201U1 LCD;

Active display area 20.1 inches(51cm) diagonal

Outsize dimensions 467.80W x 361.0H x 32.0Tmm

Pixel pitch 0.255 mm × 0.255 mm

Pixel format 1600 horiz. By 1200 vert. pixels

RGB vertical stripe arrangement

Color depth 8-bit, 16,777,216 colors

Display operating mode transmissive mode, normally black

Luminance,White 250 cd/m² (Typ.)
Power Consumption Total 43.2Watt(Typ.)

Weight 4100g (Typ.)
Surface treatments hard coating(3H),

anti-glare treatment of the front polarizer

Interface method TMDSTM interface

Lamps Six CCFL's(Cold Cathode Fluorescent Lamp)

Ver 0.3 October 19, 2000 Page 4/25


2. Absolute Maximum Ratings

The following are maximum values which, if exceeded, may cause faulty operation or damage to the unit.

Table 1 ABSOLUTE MAXIMUM RATINGS

Parameter	symbol	Val	Values		Notes
r arameter	Symbol	Min.	Max.	Units	Notes
Power Input Voltage Operating Temperature Storage Temperature Operating Ambient Humidity Storage Humidity	V _{AA} T _{OP} T _{ST} H _{OP} H _{ST}	-0.3 0 -20 10 10	21.0 50 60 90 90	Vdc °C °C %RH %RH	at 25 ± 5℃ 1 1 1 1

Note: 1. Temperature and relative humidity range are shown in the figure below.



Ver 0.3 October 19, 2000 Page 5/25



3. Electrical Specifications

3-1. Electrical Characteristics

The LM201U1 requires two power inputs. One input is employed to power the LCD electronics and to drive the voltages to drive the TFT array and liquid crystal. And the second input which powers the CCFL, is typically generated by an inverter. The inverter is an external unit to the LCD.

Table 2 Electrical Characteristics:

Devemeter	Cumahal		Values		Values		Lleite	Notes	
Parameter	Symbol	Min.	Тур.	Max.	Units	Notes			
MODULE: Power Supply Input Voltage Power Supply Input Current	V _{AA} I _{AA}	17.1	18.0 0.53	18.9 0.8	Vdc A	1			
Power Control Logic Input High Power Control Logic Input Low	$V_{IH} \ V_{IL}$	3.0	3.3	3.6 0.8	Vdc Vdc				
Control Logic Output High Control Logic Output Low	$egin{array}{c} V_{OH} \ V_{OL} \end{array}$	2.5	- -	- 0.5	Vdc Vdc				
Differential Impedance Rush Current	${\sf Zm}_{\sf Rush}$	90 -	100 -	110 3	Ohm A	2 3			
LAMP (each CCFL) Operating voltage Operating Current Established Starting Voltage at 25°C	V _{BL} I _{BL} Vs	740 3.0	750 7.5	920 8.0 1080	V _{RMS} mA	4 5			
at 0 ℃ Operating Frequency Power Consumption(6 CCFL's) Discharge Stabilization Time Life time	F _{BL} P _{BL} Ts	- 40 - - TBD	50 33.8 - -	1500 60 37.2 3	V _{RMS} KHz Watts Minutes Hours	6 7 8 9			

Notes: 1. The input current shall be measured at V_{DD} of 18.0Vdc at 25 °C, refresh rate of 60Hz, and pixel clock frequency of 162MHz under full white pattern(255gray).

- 2. This impedance value is needed to proper display and measured from TMDS Tx to the mating connector.
- 3. The duration of rush current is about 20ms.
- 4. The variance of the voltage is \pm 10%.
- 5. The voltage above Vs should be applied to the lamps for more than 1second for start-up Otherwise, the lamps may not turn on.
- 6. The output of the inverter must have symmetrical(negative and positive) voltage waveform and symmetrical current waveform.(Unsymmetrical ratio is less than 10%) Please do not use the inverter which has unsymmetrical voltage and unsymmetrical current and spike wave. Lamp frequency may produce interference with horizontal synchronous frequency and as a result this may cause beat on the display. Therefore lamp frequency shall be as away as possible from the horizontal synchronous frequency and from its harmonics in order to prevent interference.
- 7. The lamp power consumption shown above does not include loss of external inverter. This value is measured at the typical lamp current and variance voltage \pm 10% of the typical operating voltage.
- 8. Let's define the brightness of the lamp after being lighted for 5 minutes as 100%.

 Ts is the time required for the brightness of the center of the lamp to be no less than 95%.
- 9. The life time is defined as the time at which brightness of lamp is 50% compare to that of initial value at the typical lamp current on condition of continuous operating at 25±2°C.

Ver 0.3 October 19, 2000 Page 6/25



3-2. Interface Connections

This LCD employs three kinds of interface connections. A 21 pin connector is used for TMDS signals from the host computer. A 15-pin connector is used for LCD module power and LCM controls signal from external monitor control circuits. And four connectors, a three pin and two pin connector, are used for the integral backlight system.

3-2-1. Signal Interface

The TMDS signal interface connector is FI-WE21P-HF-E by JAE.

Interface chip in host side, must be used TMDSTM, part No. Sil160, designed by Silicon Image Inc., or its equivalent.

The pin configuration for the 21 pin connector is shown in the table below.

Table 3 21PIN CONNECTOR (CNC1) PIN CONFIGURATION

Pin	Symbol	Description	Pin	Symbol	Description
1	TX1+	TMDS positive differential output	11	TX2+	TMDS positive differential output
		(channel1)			(channel2)
2	TX1-	TMDS negative differential output	12	TX2-	TMDS negative differential output
		(channel1)			(channel2)
3	SHLD1	Shield for TMDS channel 1	13	SHLD2	Shield for TMDS channel 2
4	SHLDC	Shield for TMDS clock	14	SHLD0	Shield for TMDS channel 0
5	TXC+	TMDS positive differential output	15	TX0+	TMDS positive differential output
		(reference clock)			(channel 0)
6	TXC-	TMDS negative differential output	16	TX0-	TMDS negative differential output
		(reference clock)			(channel 0)
7	GND	Logic Ground	17	NC	Logic Ground
8	+5V	Logic +5V Supply (See note 2)	18	HPD	Hot Plug Detection (See note 3)
9	NC	No Connection	19	DDC_DAT	DDC2B Data (See note 4)
10	NC	No Connection	20	DDC_CLK	DDC2B Clock (See note 5)
			21	NC	No connection

1. Interface chips


1.1 LCD : PTFP 401APZP (TI)

2. Connector

2.1 LCD : FI-WE21P-HF-E

2.2 Mating: FI-W21S or FI-W21M or compatible

2.3 Connector pin arrangement



Notes:

- 1. All shield pins and GND(ground) pin should be connected together and should also be connected to the LCD's metal frame.
- 2. This +5V is only for external monitor control circuits and directly connected to 15 pin connector. The specifications for this source are the same as those defined in the VESA DDC Standard $V3.0(+5V\pm5\%, 50\text{mA minimum}, 1.0\text{A maximum})$.
- 3. This pin is internally connected to pin 8 (+5V) in LCM circuits.
- 4, 5. These pins are only for external monitor control circuits and directly connected to 15 pin connector.
- 6. Refer to appendix 1 regarding TMDS signal mapping.



3-2-2. Power Interface

A 15 pin connector for external monitor control circuits, is a model 53261 manufactured by Molex. The mating connector part number is 51021 or its equivalent. The pin configuration for this connector is shown in the table below.

Table 4 15 PIN CONNECTOR (CNC2) PIN CONFIGURATION

Pin	Symbol	Description	Notes						
1	GND	Ground	1						
2	PWR_CTRL	LCM power control input signal	2						
		Low: LCM power down except TMDS receiver							
		High : Normal operation mode							
3	GND	Ground							
4	V_{AA}	LCM power supply, +18V± 5%							
5	V_{AA}	LCM power supply, +18V± 5%							
6	GND	Ground							
7	H_{SYNC}	H _{SYNC} out from TMDS receiver to system							
8	V_{SYNC}	V _{SYNC} out from TMDS receiver to system							
9	GND	Ground							
10	SCDT	Sync Detect signal out from TMDS receiver to system	3						
11	NC	No connection (Reserved)							
12	+5V_DDC	+5V out for DDC	4						
13	SDA	DDC data line out							
14	SCL	DDC clock line out							
15	GND	Ground							
Conn	ector pin arrangem	pent							
Com	color pin arrangen	iont .							
	4 45								
	1 15 nn								
		CNC2							

Notes:

- 1. All GND(ground) pins should be connected together and should also be connected to the LCD's metal frame.
- 2. LCM power control input signal for power saving mode. If this pin is held low state, LCM goes to power saving mode .
- 3. SCDT to indicate link activity
- 4. Pin 12, 13, 14 are for DDC2B communication between host computer and external monitor control circuits. These pins are directly connected to 21 pin connector.

Ver 0.3 October 19, 2000 Page 8/25

CN 4



Product Specification

3-2-3. Backlight Interface

The backlight interface connector is a model BHR-03VS-1(CN1,3) and BHSR-02VS-1(CN2,4) manufactured by JST. The mating connector part number is SM03(4.0)B-BHS-1-TB and SM02B-BHS-1-TB or equivalent. The pin configuration for the connector is shown in the table below.

Table 5 BACKLIGHT CONNECTOR PIN CONFIGURATION

No	Pin	Symbol	Description	Notes		
CN 1	1	HV	High Voltage Power for lamp 1	1		
	2	NC	No connection			
	3	HV	High Voltage Power for lamp 2	1		
CN 2	1	HV	High Voltage Power for lamp 3	1		
	2	GND	Ground for lamp 1, 2, 3	2		
CN 3	1	HV	High Voltage Power for lamp 4	1		
	2	NC	No connection			
	3	HV	High Voltage Power for lamp 5	1		
CN 4	1	HV	HV High Voltage Power for lamp 6			
	2	GND	Ground for lamp 4, 5, 6	2		

Notes: 1. The high voltage power terminal is colored pink. Ground pin color is white.

Lamp 5 Lamp 6

<BACKLIGHT CONNECTOR DIAGRAM>

Lamp 1 Lamp 2		CN 1
Lamp 3	}	CN 2
Lamp 4		CN 3

Ver 0.3 October 19, 2000 Page 9/25

^{2.} The backlight ground should be common with LCD metal frame.

3-3. Signal Timing Specifications

This is signal timing required at the input of the TMDS transmitter. All of the interface signal timing should be satisfied with the following specifications for it's proper operation.

Table 6 Timing Table


Table of Hilling Table									
	ITEM	SYMBOL	MIN.	TYP.	MAX.	UNIT	NOTES		
Dclk	Period	t _{CLK}	6.13	6.17	6.21	ns	162MHz		
Hsync	Period	t _{HP}	2144	2160	2176	t _{CLK}			
	Width	t _{wh}	192	192	192		1		
Vsync	Period	t _{VP}	1240	1250	1260	t _{HP}			
	Frequency	f _V	60	60	60	Hz			
	Width	t _{WV}	3	3	3	t _{HP}	2		
DE	Horizontal Valid	t _{HV}	1600	1600	1600	t _{CLK}			
(Data	Horizontal Back Porch	t _{HBP}	304	304	304				
Enable)	Horizontal Front Porch	t _{HFP}	48	64	80				
	Horizontal Blank	-	544	~	576		t _{WH} + t _{HBP} + t _{HFP}		
	Vertical Valid	t _{vv}	1200	1200	1200	t _{HP}			
	Vertical Back Porch	t _{VBP}	36	46	56				
	Vertical Front Porch	t _{VFP}	1	1	1				
	Vertical Blank	-	40	~	60		t_{WV} + t_{VBP} + t_{VFP}		


Notes: 1. Horizontal sync shall be active high.

2. Vertical sync shall be active high.

Ver 0.3 October 19, 2000 Page 10/25

3-4. Signal Timimg Waveforms





Ver 0.3 October 19, 2000 Page 11/25



3-5. Color Input Data References

The brightness of each primary color(red, green and blue) is based on the 8-bit gray scale data input for the color; the higher the binary input, the brighter the color. The table below provides a reference for color versus data input.


Table 7 Color Data Reference

											lr	nput	t Co	lor	Dat	ta									
	Color				Re	ed							Gre	en							BI	ue			
			B							MS							SB	M:							SB
		R7	R6	R5	R4	R3	R2	R1	R0	G7	G6	G5	G4	G3	G2	G1	G0	B7	B6	B5	B4	B3	B2	B1	B0
	Black	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Red(255)	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Green(255)	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0
Basic	Blue(255)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1
Colors	Cyan	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Magenta	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1
	Yellow	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0
	White	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Red(0) Dark	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Red(1)	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Red(2)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Red		:	:	:	:	:		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	<u>:</u>
	Red(253)	1	1	1	1	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Red(254)	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Red(255) Bright	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Green(0) Dark	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Green(1)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Green(2)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Green	0 (050)	:	:	:	:	:	:	:	:	;	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:
	Green(253)	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0	1	0	0	0	0	0	0	0	0
	Green(254)	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0
	Green(255)Bright	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0
	Blue(0) Dark	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Blue(1)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Dluc	Blue(2)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Blue	Plue/252\	0	0		:	:	0	:	:	0		:		: 0	0		0		1	1	1	1	1	-	1
	Blue(253)	_	-	0	0	0		0	0		0	0	0	_		0	_	1	1 -	1		1	1	0	
	Blue(254) Blue(255) Bright	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	0
	Diue(200) Dright	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	L	I	I			l I	l l	ı

Ver 0.3 October 19, 2000 Page 12/25



3-6. Power Sequences



				Unit
	min	typ	max	
T1	ı	ı	10	ms
T2	1	-	50	ms
T3	-	-	50	ms
T4	200	-	-	ms
T5	200	-	-	ms
T6	-	ı	50	ms
T7	400	-	-	ms
Т8	-	-	50	ms
Т9	-	-	50	ms
T10	-	-	10	ms

Notes: 1. Please avoid floating state of interface signal at invalid period.

- 2. When the interface signal is invalid or no signal, be sure to pull down the power supply, V_{AA} to 0V or to pull down the **PWR_CTRL** signal under 0.8V. Invalid signal with V_{DD} and on state of PWR_CTRL signal for a long period of time, causes permanent damage to LCD panel.
- 3. BackLight inverter power must be turn on after power supply for LCD and interface signal are valid.
- 4. Power supply, V_{AA} shall be start under 0.8V.

Ver 0.3 October 19, 2000 Page 13/25



4.Optical Specifications

Optical characteristics are determined after the unit has been 'ON' and stable for approximately 30 minutes in a dark environment at $25\,^{\circ}$ C. The values specified are at an approximate distance 50cm from the LCD surface at a viewing angle of Φ and θ equal to 0° and aperture 1 degree. The test equipment is PhotoResearch Prichard SpectroRadiometer Model 1980B-SC or equivalent. The input signal voltage and timing specifications are V_{AA} of 18.0Vdc, and typical values respectively. The input current of lamp is 7.5mA(F_{BL} = 50KHz) at the ground terminals.

FIG. 1 presents additional information concerning the measurement equipment and method

Table 8 Optical Characteristics


(Ta:25°C, V_{AA}:18.0V, fv:60Hz, Dclk:162MHz, I_{BL}:7.5mA, After 30minutes aging)

Parameter	Symbol		Values		Units	Notes
1 drameter	Cyrribor	Min.	Тур.	Max.	Office	140103
Contrast Ratio	CR	200	300	-		1
Surface Luminance, white	L_WH	200	250	-	cd/m ²	2
Luminance Variation	δ_{WHITE}	-	-	1.8		3
Response Time	Tr	-	30	50	msec	4
Rise Time	Tr_R	-	15	25		
Decay Time	Tr_D	-	15	25		
CIE Color Coordinates						
Red	X _R	0.600	0.630	0.660		
	y R	0.310	0.340	0.370		
Green	X_{G}	0.270	0.300	0.330		
	y G	0.560	0.590	0.620		
Blue	X _B	0.120	0.150	0.180		
	y B	0.080	0.110	0.140		
White	XW	0.283	0.313	0.343		
	y w	0.299	0.329	0.359		
Viewing Angle by CR ≥ 10						
x axis, right (Φ =0°)	⊖r	80	-	-	degree, °	5
x axis, left(\$\Phi\$ =180\circ\$)	θΙ	80	-	-		
y axis, up(Φ =90°)	θu	80	-	-		
y axis, down (Φ =270°)	Θ d	80	-	-		
Gray Scale			-	-		6

Ver 0.3 October 19, 2000 Page 14/25



FIG. 1 Optical Characteristic Measurement Equipment and Method



Notes 1. Contrast Ratio (CR) is defined mathematically as:

(Surface Luminance with all white pixels)
(Surface Luminance with all black pixels)


Contrast ratio shall be measured at the center of the display (Location 1).

- 2. Surface Luminance (L_{WH}) is measured at the center point (location 1) with all pixels displaying white
- 3. The variation in surface luminance, $\,\delta\,$ white is defined as :

Maximum (B₁, B₂,B₉)

Minimum (B₁, B₂,B₉)


Where B1 to B9 are the luminance with all pixels displaying white at 9 locations.




Ver 0.3 October 19, 2000 Page 15/25



4. The response time is defined as the following figure and shall be measured by switching the input signal for "black" and "white".



5. Viewing angle is the angle at which the contrast ratio is greater than 10.



6. Grayscale Specification

	Relative Luminance(%)
Gray Level	typ
0	0.3
31	1.1
63	4.01
95	10.32
127	20.1
159	33.7
191	51.4
223	73.5
255	100

Ver 0.3 October 19, 2000 Page 16/25



5.Mechanical Characteristics


The chart below provides general mechanical characteristics for the model LM201U1 LCD. Please refer to next page regarding the detailed mechanical drawing of the LCD module.

Table 9 Mechanical Specifications

Parameter	Value	Symbol
Outside dimension Width Height Thickness	467.8 (typ) 361.0 (typ) 32.0 (max)	mm
Bezel area Width Height	413 311	mm
Active area Width Height	408.0 306.0	mm
Weight	4100(typ) 4300(max)	gram
Front surface of LCD	Hard coating 3H. Anti-glare treatment of the front polarizer	-




5-1. Front View





5-2. Rear View





6. Reliability

No	Test ITEM	Conditions
1	High temperature operating test	50℃, 240 hour
2	High temperature storage test	60℃, 240 hour
3	Low temperature operating test	5℃, 240 hours
4	Thermal Shock Test (non-operating)	-20 ℃/30minutes, 60 ℃/30minutes, 50cycle
5	Altitude (non-operating)	Storage : 40,000ft
6	Vibration test (non-operating)	Waveform: Random Vibration level: 1.0 G RMS Bandwidth: 10 ~500Hz Duration: X, Y, Z, 10 min one time each direction
7	Shock test (non-operating)	Shock level : 100G Waveform: half sine wave, 2ms Direction : ±X, ±Y, ±Z one time each direction

<Result Evaluation Criteria>

There should be no changes, which might affect the practical display function when the display quality test is conducted under normal operating condition.

Ver 0.3 October 19, 2000 Page 20/25



7. International Standards

7-1. Safety

- a) UL 1950 Third Edition, Underwriters Laboratories, Inc. Jan. 28, 1995.
 Standard for Safety of Information Technology Equipment Including Electrical Business Equipment.
- b) CAN/CSA C22.2 No. 950-95 Third Edition, Canadian Standards Association, Jan. 28, 1995. Standard for Safety of Information Technology Equipment Including Electrical Business Equipment.
- c) EN 60950: 1992 + A1: 1993 + A2: 1993 + A3: 1995 + A4: 1997 + A11: 1997

 IEC 950: 1991 + A1: 1992 + A2: 1993 + A3: 1995 + A4: 1996

 European Committee for Electrotechnical Standardization (CENELEC)

 EUROPEAN STANDARD for Safety of Information Technology Equipment Including Electrical Business Equipment.

7-2. EMC

- a) ANSI C63.4 "Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9kHz to 40GHz." American National Standards Institute(ANSI),1992.
- b) C.I.S.P.R "Limits and Methods of Measurement of Radio Interference Characteristics of Information Technology Equipment." International Special Committee on Radio Interference
- c) EN 55022 "Limits and Methods of Measurement of Radio Interference Characteristics of Information Technology Equipment." European Committee for Electrotechnical Standardization (CENELEC),1988

Ver 0.3 October 19, 2000 Page 21/25



8. Packing

8-1. Designation of Lot Mark

a) Lot Mark

A B C D E F G H	I J K L M
-----------------	-----------

A, B ,C : SIZE D : YEAR E : MONTH F,G : PANEL CODE H : ASSEMBLY CODE I,J,K,L,M: SERIAL NO.

Note: 1. YEAR

YEAR	97	98	99	2000	2001	2002	2003	2004	2005	2006	2007
Mark	7	8	9	0	1	2	3	4	5	6	7

2. MONTH

MONTH	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
Mark	1	2	3	4	5	6	7	8	9	Α	В	С

b) Location of Lot Mark

Serial NO. is printed on the label. The label is attached to the backside of the LCD module. This is subject to change without notice.

8-2. Packing Form

a) Package quantity in one box:

b) Box Size : 470 mm \times 253 mm \times 573 mm



9. Precautions

Please pay attention to the followings when you use this TFT LCD module.

9.1 Mounting Precautions

- (1) You must mount a module using holes arranged in four corners or four sides.
- (2) You should consider the mounting structure so that uneven force (ex. twisted stress) is not applied to the module. And the case on which a module is mounted should have sufficient strength so that external force is not transmitted directly to the module.
- (3) Please attach a transparent protective plate to the surface in order to protect the polarizer.

 Transparent protective plate should have sufficient strength in order to resist external force.
- (4) You should adopt radiation structure to satisfy the temperature specification.
- (5) Acetic acid type and chlorine type materials for the cover case are not desirable because the former generates corrosive gas of attacking the polalizer at high temperature and the latter causes circuit break by electro-chemical reaction.
- (6) Do not touch, push or rub the exposed polarizers with glass, tweezers or anything harder than HB pencil lead. And please do not rub with dust clothes with chemical treatment.
 Do not touch the surface of polarizer for bare hand or greasy cloth. (Some cosmetics are detrimental to the polarizer.)
- (7) When the surface becomes dusty, please wipe gently with absorbent cotton or other soft materials like chamois soaked with petrolium benzene. Normal-hexane is recommended for cleaning the adhesives used to attach front / rear polarizers. Do not use acetone, toluen and alcohol because they cause chemical damage to the polarizer.
- (8) Wipe off saliva or water drops as soon as possible. Their long time contact with polarizer causes deformations and color fading.
- (9) Do not open the case because inside circuits do not have sufficient strength.

9.2 Operating Precautions

- (1) The spike noise causes the mis-operation of circuits. It should be lower than following voltage: $V = \pm 200 \text{mV}$ (Over and under shoot voltage).
- (2) Response time depends on the temperature. (In lower temperature, it becomes longer.)
- (3) Brightness depends on the temperature. (In lower temperature, it becomes lower.)

 And in lower temperature, response time (required time that brightness is stable after turned on) becomes longer.
- (4) Be careful for condensation at sudden temperature change. Condensation makes damage to polarizer or electrical contacted parts. And after fading condensation, smear or spot will occur.
- (5) When fixed patterns are displayed for a long time, remnant image is likely to occur.
- (6) A module has high frequency circuit. If you need to shield the electromagnetic noise, please do in yours. When a Back-light unit is operating, it sounds. If you need to shield the noise, please do in yours.

Ver 0.3 October 19, 2000 Page 23/25



9.3 Electrostatic Discharge Control

Since a module is composed of electronic circuits, it is not strong to electrostatic discharge. Make certain that treatment persons are connected to ground through wrist band etc. And don't touch interface pin directly.

9.4 Precautions for strong light exposure

Strong light exposure causes degradation of polarizer and color filter.

9.5 Storage

When storing modules as spares for a long time, the following precautions are necessary.

- (1) Store them in a dark place. Do not expose the module to sunlight or fluorescent light. Keep the temperature between 5 °C and 35 °C at normal humidity.
- (2) The polarizer surface should not come in contact with any other object.
 It is recommended that they be stored in the container in which they were shipped.

9.6 Handling Precautions for protection film

- (1) When the protection film is peeled off, static electricity is generated between the film and polarizer. This should be peeled off slowly and carefully by people who are electrically grounded and with well ion- blown equipment or in such a condition, etc..
- (2) The protection film is attached to the polarizer with a small amount of glue. If some stress is applied to rub the protection film against the polarizer during the time you peel off the film, the glue is apt to remain on the polarizer. Please carefully peel off the protection film without rubbing it against the polarizer.
- (3) When the module with protection film attached is stored for a long time, sometimes there remains a very small amount of glue still on the polarizer after the protection film is peeled off.
- (4) You can remove the glue easily. When the glue remains on the polarizer surface or its vestige is recognized, please wipe them off with absorbent cotton waste or other soft material like chamois soaked with normal-hexane.

Ver 0.3 October 19, 2000 Page 24/25

APPENDIX 1: Required Signal Assignment for Sil160 TMDS Receiver

Dies	Graphics	Controller	Pane	lLink	Flat Panel	Flat Panel Controller	
B1 - 0	24-bits	18-bits	SiI160	SiI161	18-bits	24-bits	
B1 - 0	B0 - 0		DIE0	OE0		B0 - 0	
B2 - 0	B1 - 0					B1 - 0	
B3 - 0 B1 - 0 DIE3 QE4 B2 - 0 B4 - 0 B5 - 0 B3 - 0 DIE4 QE4 B2 - 0 B5 - 0 B3 - 0 DIE5 QE5 B3 - 0 B6 - 0 B4 - 0 DIE6 QE6 B4 - 0 B7 - 0 B5 - 0 DIE7 QE7 B5 - 0 B7 - 0 B5 - 0 DIE8 QE8 G0 - 0 G1 - 0 DIE9 QE9 G1 - 0 G2 - 0 G0 - 0 DIE10 QE10 G0 - 0 G2 - 0 G3 - 0 G1 - 0 DIE11 QE11 G1 - 0 G3 - 0 G5 - 0 G3 - 0 DIE12 QE12 G2 - 0 G4 - 0 G5 - 0 G3 - 0 DIE13 QE13 G3 - 0 G5 - 0 G6 - 0 G4 - 0 DIE14 QE14 G4 - 0 G6 - 0 G7 - 0 G5 - 0 DIE15 QE15 G5 - 0 G7 - 0 R1 - 0 DIE17 QE17 R1 - 0 R2 - 0 R3 - 0 DIE18 QE18 R0 - 0 R2 - 0 R3 - 0 R1 - 0 DIE19 QE19 R1 - 0 R3 - 0 R4 - 0 R2 - 0 DIE21 QE21 R3 - 0 R5 - 0 R5 - 0 R3 - 0 DIE22 QE22 R4 - 0 R5 - 0 R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 B0 - 1 B1 - 1 DIO2 QO2 B0 - 1 B3 - 1 B2 - 1 B3 - 1 DIO3 QO3 B1 - 1 B3 - 1 B5 - 1 B3 - 1 DIO5 QO5 B3 - 1 B5 - 1 B7 - 1 B5 - 1 DIO7 QO7 B5 - 1 B7 - 1 G0 - 1 G0 - 1 DIO10 QO10 G0 - 1 G2 - 1 G4 - 1 G2 - 1 DIO11 QO11 G1 - 1 G3 - 1 G4 - 1 G2 - 1 DIO12 QO12 G2 - 1 G4 - 1 G5 - 1 G3 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G7 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G7 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G7 - 1 DIO15 QO15 G5 - 1 G7 - 1 G7 - 1 G7 - 1 DIO15 QO15 G7 - 1 G7 - 1 G7 - 1 G7 - 1 DIO15 Q	B2 - 0	B0 - 0	ı		B0 - 0	B2 - 0	
B4 - 0 B2 - 0 DIE4 QE5 B3 - 0 B5 - 0 B6 - 0 B4 - 0 DIE5 QE5 B3 - 0 B6 - 0 B6 - 0 DIE6 QE6 B4 - 0 B6 - 0 B7 - 0 B5 - 0 DIE7 QE7 B5 - 0 B7 - 0 G0 - 0 DIE8 QE8 G0 - 0 G1 - 0 G1 - 0 G2 - 0 G1 - 0 G1 - 0 G2 - 0 G1 - 0 G1 - 0 G2 - 0 G1 - 0 G2 - 0 G3 - 0 DIE11 QE11 G1 - 0 G3 - 0 G2 - 0 G4 - 0 G2 - 0 DIE12 QE12 G2 - 0 G4 - 0 G5 - 0 DIE13 QE13 G3 - 0 G5 - 0 G5 - 0 DIE14 QE14 G4 - 0 G6 - 0 G7 - 0 G5 - 0 DIE15 QE15 G5 - 0 G7 - 0 G7 - 0 DIE16 QE16 QE16 R0 - 0 R1 - 0 DIE17 QE17 R1 - 0 R3 - 0 R4 - 0 R2 - 0 DIE20 QE20 R2 - 0 R4 - 0 R3 - 0 DIE21 QE21 R3 - 0 R4 - 0 R5 - 0 DIE22 QE22 R4 - 0 R6 - 0 R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 R5 - 1 DIO1 QO1 B1 - 1 B2 - 1 B0 - 1 B1 - 1 DIO2 QO2 B0 - 1 B2 - 1 B4 - 1 B5 - 1 B3 - 1 DIO4 QO4 B2 - 1 B4 - 1 B5 - 1 B6 - 1 DIO5 QO6 B4 - 1 B5 - 1 G0 - 1 G1 - 1 G3 - 1 G4 - 1 G2 - 1 DIO10 QO10 G0 - 1 G2 - 1 G5 - 1 G6 - 1	B3 - 0		DIE3	ÕE3	 B1 - 0	B3 - 0	
B5 - 0	B4 - 0	B2 - 0	DIE4		 B2 - 0		
B6 - 0	B5 - 0	B3 - 0	DIE5		 B3 - 0	B5 - 0	
B7 - 0	B6 - 0	B4 - 0	DIE6		 B4 - 0	B6 - 0	
DIE9 QE9 G1 - 0 G2 - 0 G2 - 0 G3 - 0 DIE10 QE10 G0 - 0 G2 - 0 G3 - 0 G4 - 0 G2 - 0 DIE11 QE11 G1 - 0 G3 - 0 G4 - 0 G2 - 0 DIE12 QE12 G2 - 0 G4 - 0 G5 - 0 DIE13 QE13 G3 - 0 G5 - 0 G6 - 0 G6 - 0 DIE14 QE14 G4 - 0 G6 - 0 G7 - 0 DIE15 QE15 G5 - 0 G7 - 0 DIE16 QE16 R0 - 0 R1 - 0 DIE17 QE17 R1 - 0 R2 - 0 DIE18 QE18 R0 - 0 R2 - 0 R3 - 0 DIE20 QE20 R2 - 0 R4 - 0 R5 - 0 DIE21 QE21 R3 - 0 R5 - 0 R5 - 0 DIE21 QE21 R3 - 0 R5 - 0 R5 - 0 DIE22 QE22 R4 - 0 R5 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 R5 - 1 DIO3 QO3 B1 - 1 B3 - 1 B4 - 1 B2 - 1 DIO4 QO4 B2 - 1 B4 - 1 B5 - 1 B3 - 1 DIO5 QO5 B3 - 1 B5 - 1 B7 - 1 DIO6 QO6 B4 - 1 B6 - 1 B7 - 1 DIO7 QO7 B5 - 1 B7 - 1 G0 - 1 DIO8 QO8 G0 - 1 G2 - 1 G3 - 1 G4 - 1 G2 - 1 DIO11 QO11 G1 - 1 G3 - 1 G4 - 1 G2 - 1 DIO12 QO12 G2 - 1 G4 - 1 G5 - 1 DIO13 QO13 G3 - 1 G5 - 1 G6 - 1 G7 - 1 DIO15 QO15 G5 - 1 G7 - 1 DIO15 QO15 G7 - 1 DIO15 QO15 G7 - 1 DIO15 QO15 G7 - 1 DIO15 Q	B7 - 0	B5 - 0	DIE7		 B5 - 0	B7 - 0	
G2 - 0	G0 - 0		DIE8	QE8	 -	G0 - 0	
G3 - 0	G1 - 0		DIE9	QE9	 -	G1 - 0	
G4 - 0 G2 - 0 DIE12 QE12 G2 - 0 G4 - 0 G5 - 0 G3 - 0 DIE13 QE13 G3 - 0 G5 - 0 G6 - 0 G4 - 0 DIE14 QE14 G4 - 0 G6 - 0 G7 - 0 G5 - 0 DIE15 QE15 G5 - 0 G7 - 0 R0 - 0 DIE16 QE16 R0 - 0 R1 - 0 R2 - 0 R4 - 0 R5 - 0 R6 - 0 R7 - 0 R5 - 0 R6 - 0 R7 - 0 R6 - 0 R7 - 0 R5 - 0 R7 - 0 R6 - 0 R7 - 0 R7 - 0 R5 - 0 R7 - 0 R7 - 0	G2 - 0	G0 - 0	DIE10	QE10	G0 - 0	G2 - 0	
G5 - 0 G3 - 0 DIE13 QE13 G3 - 0 G5 - 0	G3 - 0	G1 - 0	DIE11	QE11	 G1 - 0	G3 - 0	
G6 - 0 G4 - 0 DIE14 QE14 G4 - 0 G6 - 0 G7 - 0 G5 - 0 DIE15 QE15 G5 - 0 G7 - 0 R0 - 0 R1 - 0 DIE16 QE16 R0 - 0 R0 - 0 R1 - 0 DIE17 QE17 R1 - 0 R1 - 0 R3 - 0 R1 - 0 DIE18 QE18 R0 - 0 R2 - 0 R4 - 0 R2 - 0 DIE29 QE20 R2 - 0 R4 - 0 R5 - 0 R3 - 0 DIE21 QE21 R3 - 0 R5 - 0 R6 - 0 R4 - 0 DIE22 QE22 R4 - 0 R6 - 0 R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 B0 - 1 DIO0 QO0 B0 - 1 B1 - 1 B2 - 1 B1 - 1 DIO3 QO3 B1 - 1 B3 - 1 B4 - 1 B2 - 1 DIO4 QO4 B2 - 1 B4 - 1 B5 - 1 B3 - 1 DIO5 QO5 B3 - 1 B5 - 1 <td< td=""><td>G4 - 0</td><td>G2 - 0</td><td>DIE12</td><td>QE12</td><td> G2 - 0</td><td>G4 - 0</td></td<>	G4 - 0	G2 - 0	DIE12	QE12	 G2 - 0	G4 - 0	
G7 - 0	G5 - 0		DIE13	QE13		G5 - 0	
R0 - 0	G6 - 0	G4 - 0	DIE14	QE14	 G4 - 0	G6 - 0	
R1 - 0	G7 - 0	G5 - 0	DIE15	QE15	 G5 - 0	G7 - 0	
R2 - 0				QE16	 1		
R3 - 0	R1 - 0		DIE17	QE17	 1		
R4 - 0 R2 - 0 DIE20 QE20 R2 - 0 R4 - 0 R5 - 0 R3 - 0 DIE21 QE21 R3 - 0 R5 - 0 R6 - 0 R4 - 0 DIE22 QE22 R4 - 0 R6 - 0 R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 B0 - 1 DIO0 QO0 B0 - 1 B1 - 1 B1 - 1 DIO1 QO1 B1 - 1 B2 - 1 B3 - 1 B1 - 1 DIO3 QO3 B1 - 1 B3 - 1 B5 - 1 B3 - 1 DIO4 QO4 B2 - 1 B4 - 1 B5 - 1 B3 - 1 DIO5 QO5 B3 - 1 B5 - 1 B6 - 1 B4 - 1 DIO6 QO6 B4 - 1 B6 - 1 B7 - 1 B5 - 1 DIO7 QO7 B5 - 1 B7 - 1 G0 - 1 DIO8 QO8 G0 - 1 G1 - 1 G1 - 1 DIO9 QO9 G1 - 1 G3 - 1 G4 - 1 G2 - 1 DIO12 <td></td> <td></td> <td>DIE18</td> <td></td> <td></td> <td></td>			DIE18				
R5 - 0			DIE19				
R6 - 0 R4 - 0 DIE22 QE22 R4 - 0 R6 - 0 R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 B0 - 1 DIO0 QO0 B0 - 1 B1 - 1 B1 - 1 DIO1 QO1 B1 - 1 B2 - 1 B3 - 1 B1 - 1 DIO3 QO3 B1 - 1 B3 - 1 B4 - 1 B2 - 1 DIO4 QO4 B2 - 1 B4 - 1 B5 - 1 B3 - 1 DIO5 QO5 B3 - 1 B5 - 1 B6 - 1 B4 - 1 DIO6 QO6 B4 - 1 B6 - 1 B7 - 1 B5 - 1 DIO7 QO7 B5 - 1 B7 - 1 G0 - 1 DIO8 QO8 G0 - 1 G2 - 1 G1 - 1 DIO9 QO9 G1 - 1 G3 - 1 G3 - 1 G1 - 1 DIO11 QO11 G1 - 1 G3 - 1 G4 - 1 G2 - 1 DIO12 QO12 G2 - 1 G4 - 1 G6 - 1 G4 - 1 DIO13 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
R7 - 0 R5 - 0 DIE23 QE23 R5 - 0 R7 - 0 B0 - 1 B1 - 1 DIO0 QO0 B0 - 1 B1 - 1 B1 - 1 DIO1 QO1 B1 - 1 B2 - 1 B2 - 1 B2 - 1 B3 - 1 B2 - 1 B3 - 1 B4 - 1 B4 - 1 B5 - 1 B4 - 1 B5 - 1 B5 - 1 B6 - 1 B4 - 1 B6 - 1 B4 - 1 B6 - 1 B6 - 1 B6 - 1 B7 - 1 B6 - 1 B7 - 1							
B0 - 1							
B1 - 1	R7 - 0	R5 - 0	DIE23	QE23	R5 - 0	R7 - 0	
B1 - 1	B0 - 1		DIO0	000		B0 - 1	
B3 - 1 B1 - 1 DIO3 QO3 B1 - 1 B3 - 1 B4 - 1 B2 - 1 DIO4 QO4 B2 - 1 B4 - 1 B5 - 1 B3 - 1 DIO5 QO5 B3 - 1 B5 - 1 B6 - 1 B4 - 1 DIO6 QO6 B4 - 1 B6 - 1 B7 - 1 B5 - 1 DIO7 QO7 B5 - 1 B7 - 1 G0 - 1 DIO8 QO8 G0 - 1 G0 - 1 G1 - 1 DIO9 QO9 G1 - 1 G2 - 1 G3 - 1 G1 - 1 DIO11 QO11 G1 - 1 G3 - 1 G4 - 1 G2 - 1 DIO12 QO12 G2 - 1 G4 - 1 G5 - 1 G3 - 1 DIO13 QO13 G3 - 1 G5 - 1 G6 - 1 G4 - 1 DIO14 QO14 G4 - 1 G6 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1	B1 - 1					B1 - 1	
B4-1 B2-1 DIO4 QO4 B2-1 B4-1 B5-1 B3-1 DIO5 QO5 B3-1 B5-1 B6-1 B4-1 DIO6 QO6 B4-1 B6-1 B7-1 B5-1 DIO7 QO7 B5-1 B7-1 G0-1 DIO8 QO8 G0-1 G0-1 G1-1 DIO9 QO9 G1-1 G2-1 G3-1 G1-1 DIO10 QO10 G0-1 G2-1 G4-1 G2-1 DIO11 QO11 G1-1 G3-1 G5-1 G3-1 DIO12 QO12 G2-1 G4-1 G6-1 G4-1 DIO13 QO13 G3-1 G5-1 G6-1 G4-1 DIO14 QO14 G4-1 G6-1 G7-1 G5-1 DIO15 QO15 G5-1 G7-1	B2 - 1	B0 - 1		-	 B0 - 1	B2 - 1	
B4-1 B2-1 DIO4 QO4 B2-1 B4-1 B5-1 B3-1 DIO5 QO5 B3-1 B5-1 B6-1 B4-1 DIO6 QO6 B4-1 B6-1 B7-1 B5-1 DIO7 QO7 B5-1 B7-1 G0-1 DIO8 QO8 G0-1 G0-1 G1-1 DIO9 QO9 G1-1 G2-1 G3-1 G1-1 DIO10 QO10 G0-1 G2-1 G4-1 G2-1 DIO11 QO11 G1-1 G3-1 G5-1 G3-1 DIO12 QO12 G2-1 G4-1 G6-1 G4-1 DIO13 QO13 G3-1 G5-1 G6-1 G4-1 DIO14 QO14 G4-1 G6-1 G7-1 G5-1 DIO15 QO15 G5-1 G7-1	B3 - 1	B1 - 1	DIO3	QO3	B1 - 1	B3 - 1	
B6-1 B4-1 DIO6 QO6 B4-1 B6-1 B7-1 B5-1 DIO7 QO7 B5-1 B7-1 G0-1 DIO8 QO8 G0-1 G0-1 G1-1 DIO9 QO9 G1-1 G2-1 G0-1 DIO10 QO10 G0-1 G2-1 G3-1 G1-1 DIO11 QO11 G1-1 G3-1 G4-1 G2-1 DIO12 QO12 G2-1 G4-1 G5-1 G3-1 DIO13 QO13 G3-1 G5-1 G6-1 G4-1 DIO14 QO14 G4-1 G6-1 G7-1 G5-1 DIO15 QO15 G5-1 G7-1	B4 - 1	B2 - 1	DIO4		 B2 - 1	B4 - 1	
B7 - 1 B5 - 1 DIO7 QO7 B5 - 1 B7 - 1 G0 - 1 DIO8 QO8 G0 - 1 G0 - 1 G1 - 1 DIO9 QO9 G1 - 1 G1 - 1 G2 - 1 G1 - 1 DIO10 QO10 G0 - 1 G2 - 1 G3 - 1 G1 - 1 DIO11 QO11 G1 - 1 G3 - 1 G4 - 1 G2 - 1 DIO12 QO12 G2 - 1 G4 - 1 G5 - 1 G3 - 1 DIO13 QO13 G3 - 1 G5 - 1 G6 - 1 G4 - 1 DIO14 QO14 G4 - 1 G6 - 1 G7 - 1 G5 - 1 DIO15 QO15 G5 - 1 G7 - 1	B5 - 1		DIO5	QO5	 B3 - 1		
G0 - 1	B6 - 1	B4 - 1	DIO6	Q06	 B4 - 1	B6 - 1	
G1-1 G2-1 G3-1 G4-1 G5-1 G6-1 G6-1 G6-1 G6-1 G6-1 G1-1 DIO10 DIO11 DIO11 DIO12 DIO12 DIO12 DIO13 DIO13 DIO13 DIO13 DIO14 DIO14 DIO15 DIO15 DIO16 DIO17 DIO17 DIO17 DIO18 DIO19	B7 - 1	B5 - 1	DIO7	QO7	 B5 - 1		
G2 - 1 G0 - 1 DIO10 QO10 G0 - 1 G2 - 1 G3 - 1 G1 - 1 DIO11 QO11 G1 - 1 G3 - 1 G4 - 1 G5 - 1 DIO12 QO12 G2 - 1 G4 - 1 G5 - 1 G6 - 1 G4 - 1 DIO13 QO13 G3 - 1 G5 - 1 G6 - 1 G7 - 1 DIO15 QO15 G5 - 1 G7 - 1	G0 - 1		DIO8		1		
G3 - 1 G1 - 1 DIO11 QO11 G1 - 1 G3 - 1 G4 - 1 G5 - 1 DIO12 QO12 G2 - 1 G4 - 1 G5 - 1 DIO13 QO13 G3 - 1 G5 - 1 G6 - 1 G4 - 1 DIO14 QO14 G4 - 1 G6 - 1 G7 - 1 DIO15 QO15 G5 - 1 G7 - 1					 1		
G4-1 G2-1 DIO12 QO12 G2-1 G4-1 G5-1 G6-1 G1-1 DIO14 QO14 G4-1 G6-1 G7-1 DIO15 QO15 G5-1 G7-1							
G5 - 1 G3 - 1 DIO13 QO13 G3 - 1 G5 - 1 G6 - 1 G7 - 1 DIO15 QO15 G5 - 1 G7 - 1							
G6-1 G4-1 DIO14 QO14 G4-1 G6-1 G7-1 DIO15 QO15 G5-1 G7-1							
G7-1 G5-1 DIO15 QO15 G5-1 G7-1							
1 KO-1		G5 - 1			G5 - 1		
	R0 - 1		DIO16	QO16	1		
R1-1 DIO17 QO17 R1-1	1	DC 1			DO .		
R2 -1 R0 -1 DIO18 QO18 R0 -1 R2 -1							
R3 - 1 R1 - 1 DIO19 QO19 R1 - 1 R3 - 1 R4 - 1 R2 - 1 DIO20 QO20 R2 - 1 R4 - 1							
R4-1 R2-1 DIO20 QO20 R2-1 R4-1 R5-1 R3-1 R5-1							
R6-1 R4-1 DIO22 QO21 R3-1 R5-1 R6-1							
R7-1 R5-1 DIO23 QO23 R5-1 R7-1							
						Shift CLK	
1,0-110						VSYNC	
						HSYNC	
DE DE DE DE DE	DE	DE	DE	DE	DE	DE	